

# GROUNDWATER MONITORING DATA RELEASE

## Fall 2025 SAMPLING EVENT

### LUCKEY FUSRAP SITE

U.S. Army Corps of Engineers  
Buffalo District

January 2026



## **Executive Summary**

Groundwater monitoring occurred at the Luckey Formerly Utilized Sites Remedial Action Program (FUSRAP) Site in Luckey, Ohio from September 15 to 17, 2025. The purpose was to obtain additional information and groundwater data for Atomic Energy Commission (AEC) related Constituents of Concern (COCs) prior to implementing monitored natural attenuation of groundwater, as documented in the February 2008 *Record of Decision* (ROD), *Groundwater Operable Unit, Luckey Site*. A total of 16 groundwater monitoring wells, two former production wells, and one residential well were sampled for AEC related COCs including, beryllium, lead, and total uranium. COCs and associated U.S. Environmental Protection Agency (USEPA) maximum contaminant levels (MCLs) or action levels for protection of drinking water include beryllium (4 micrograms per liter [ $\mu\text{g}/\text{L}$ ]), lead (15  $\mu\text{g}/\text{L}$ ), and total uranium (30  $\mu\text{g}/\text{L}$ ).

Samples collected in September 2025 from groundwater monitoring wells MW-01(I), MW-02(S), and MW-22R(I) had concentrations above the USEPA MCL for beryllium. These wells are located on-site and are not used for water supply. No other samples contained COCs at concentrations exceeding the MCLs. The residential well did not contain COCs at concentrations above the MCLs or the action level.

Groundwater sample collection will occur again during the next scheduled groundwater monitoring event, which is planned for spring 2026.

## **Formerly Utilized Sites Remedial Action Program (FUSRAP)**

FUSRAP was initiated in 1974 to identify, investigate and, if necessary, clean up or control sites throughout the United States that were contaminated by Manhattan Engineer District or early Atomic Energy Commission (AEC) activities. When implementing FUSRAP, the United States Army Corps of Engineers follows the investigation and response framework of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended, and the National Oil and Hazardous Substances Pollution Contingency Plan.

### **Site Description**

The Luckey Site is located at 21200 Luckey Road directly north of the Village of Luckey, Ohio, and 22 miles southeast of Toledo. It is bordered by Luckey Road to the west, Gilbert Road to the south, abandoned railroad tracks to the east, and privately-owned farm fields to the north. The site is zoned industrial but is currently not being used. It covers approximately 40 acres and includes open areas as well as unused buildings and concrete slabs where several buildings were removed. Several of the open areas were previously used to store byproducts from beryllium ore processing.

### **Site History**

In 1942 the federal government built a magnesium processing facility at the site, which was operated by National Lead for the federal government from 1942 to 1945. In 1949 Brush Beryllium Company (later Brush Wellman) began production of beryllium oxide, beryllium hydroxide, and beryllium pebbles at the site under contract to the AEC. Brush Beryllium Company operated the facility for the AEC until 1958 when beryllium production ceased. In 1959, AEC contracted with Brush Beryllium Company to close the facility. Closing operations consisted of constructing a two-acre diked disposal area in the northeast corner of the property where sludge from three on-site lagoons was placed. The General Services Administration sold the facility in 1961, and the site has had various owners since then.

### **Purpose**

Groundwater monitoring is being performed to obtain additional information and groundwater data for AEC related Constituents of Concern (COCs) prior to implementing monitored natural attenuation of groundwater, as documented in the February 2008 *Record of Decision* (ROD), *Groundwater Operable Unit, Luckey Site*.

Hydrogeologic conditions and the nature and extent of groundwater contamination at the site are presented in the ROD. Groundwater is present in three primary water-bearing zones: shallow, intermediate, and deep bedrock. It is present under unconfined and semi-confined conditions. The historical horizontal flow of groundwater within these zones in the vicinity of the site is northerly and northwesterly. COCs and associated U.S. Environmental Protection Agency (USEPA) maximum contaminant levels (MCLs) or action levels for protection of drinking water include beryllium (4 micrograms per liter [ $\mu\text{g}/\text{L}$ ]), lead (15  $\mu\text{g}/\text{L}$ ), and total uranium (30  $\mu\text{g}/\text{L}$ ).

The current groundwater monitoring program (well number and locations) varies from the 2008 ROD due to the decommissioning of site wells in conjunction with a soil remediation program. The ROD-based monitoring program will be reestablished once the soils remedy is completed.

## **Results and Interpretations**

From September 15 to 17, 2025, 16 groundwater monitoring wells (illustrated on Figure 1), two former production wells (PW-(E) and PW-(W)), and one residential well (GW0002) were sampled for beryllium, lead, and total uranium. Groundwater surface elevations measured during this event are presented in Table 1.

Analytical results are presented in Table 2. Samples collected in September 2025 with concentrations above the USEPA MCLs are listed below and highlighted in Figure 1 and Table 2.

- Beryllium [MW-01(I), MW-02(S), and MW-22R(I)]

These exceedances are consistent with previous results. The wells with beryllium exceedances in September 2025 are located on-site and are not used for water supply. Residential well GW0002 did not contain COCs at concentrations above the MCLs or the action level.

In September 2024, an anomalous beryllium exceedance was reported from the field filtered sample at monitoring well MW-25(I). It is unlikely that the anomalous result is representative of true conditions, since the sample result from March 2025 and September 2025 was 1.0 U  $\mu\text{g/L}$ , which was below the detection limit and aligns with historical results. Groundwater sample collection from well MW-25(I) will be tested again during the next groundwater monitoring event.

### **Beryllium**

Plots of beryllium concentrations against time are presented on Figure 2 (unfiltered samples) and Figure 3 (filtered samples) for monitoring wells MW-01(I), MW-02(S), and MW-22R(I). The Mann-Kendall test was used to determine if the data exhibit statistically significant upward trends or downward trends.<sup>1</sup> Results are summarized in Table 3. The following conclusions are made from the data plots and trend analysis:

- A downward trend is observed for wells MW-02(S) (filtered and unfiltered samples).
- No trends are observed for wells MW-01(I) (filtered and unfiltered samples) and MW-22R(I) (filtered and unfiltered samples).

---

<sup>1</sup> Statistical significance was evaluated at the 90 percent level of confidence.

## **Lead**

Plots of lead concentrations against time are presented on Figure 4 (unfiltered samples) and Figure 5 (filtered samples) for wells MW-21(I), and PW(E). Trend analysis results are summarized in Table 3. The following conclusions are made from the data plots and trend analysis:

- A downward trend is observed for wells MW-21(I) (filtered and unfiltered samples) and PW(E) (unfiltered sample).
- No trends are observed for well PW(E) (filtered sample).

## **Total Uranium**

Plots of total uranium concentrations against time are presented on Figure 6 (unfiltered samples) and Figure 7 (filtered samples) for well MW-21(I). Trend analysis results are summarized in Table 3. The following conclusions are made from the data plots and trend analysis:

- A downward trend is observed for well MW-21(I) (filtered and unfiltered samples).


## **Residential Well GW0002**

In accordance with the *Interstate Technology Regulatory Council (ITRC) Groundwater Statistics and Monitoring Compliance Guidance Document*, the Mann-Kendall Test was not conducted for any COCs at residential well GW0002 (filtered and unfiltered samples) for this sampling event, as the majority of historical sample results were below the detection limit, as shown in Table 2 (ITRC, 2013). All groundwater COCs at residential well GW0002 have consistently remained below the associated MCLs over time as indicated in Figures 2 through 10.

## **References**

ITRC, 2013. *Groundwater Statistics and Monitoring Compliance*. The Interstate Technology & Regulatory Council Groundwater Statistics and Monitoring Compliance Team. December.

# **FIGURES**



#### Legend

- At Least One Compound Exceeds USEPA MCLs
- Intermediate Monitoring Well
- Hybrid Monitoring Well (Installed 2012)
- Residential Well
- Deep Monitoring Well
- Shallow Monitoring Well
- Site Boundary

0 150 300 600  
Feet



U.S. ARMY ENGINEER DISTRICT  
CORPS OF ENGINEERS  
BUFFALO, NY


#### MONITORING PROGRAM GROUNDWATER SAMPLE LOCATIONS (SEPTEMBER 2025)

Project: 2025\_WG\_Monitoring.aprx  
Layout Name: Fall\_2025\_WGSample  
Drawn By: H5TDESPM  
Date Saved: 06/03/2025  
Time Saved: 1124

LUCKEY FUSRAP SITE  
LUCKEY, OHIO

FIGURE 1

Figure 2: Beryllium Concentrations in Unfiltered Groundwater




Legend

(S) - shallow monitoring well  
(I) - intermediate monitoring well  
USEPA Beryllium MCL - 4 µg/L

GW0002 - residential well  
µg/L - micrograms per liter

**Figure 3: Beryllium Concentrations in Filtered Groundwater**




## Legend

(S) - shallow monitoring well  
(I) - intermediate monitoring well  
USEPA Beryllium MCL - 4  $\mu\text{g/L}$

GW0002 - residential well  
µg/L - micrograms per liter

**Figure 4: Lead Concentrations in Unfiltered Groundwater**




**Legend**

(I) - intermediate monitoring well  
GW0002 - residential well  
USEPA Lead MCL - 15 µg/L

PW(E) - former water supply well for the Luckey Site (east)  
µg/L - micrograms per liter

**Figure 5: Lead Concentrations in Filtered Groundwater**



**Legend**

(I) - intermediate monitoring well


GW0002 - residential well

USEPA Lead MCL - 15 µg/L

PW(E) - former water supply well for the Luckey Site (east)

µg/L - micrograms per liter

Figure 6: Uranium Concentrations in Unfiltered Groundwater




Legend

(I) - intermediate monitoring well  
GW0002 - residential well

µg/L - micrograms per liter  
USEPA Uranium MCL - 30 µg/L

**Figure 7: Uranium Concentrations in Filtered Groundwater**




**Legend**

(I) - intermediate monitoring well  
GW0002 - residential well

µg/L - micrograms per liter  
USEPA Uranium MCL - 30 µg/L

**Figure 8: Beryllium Concentrations in Groundwater at Residential Well GW0002**




**Legend**

GW0002 - residential well  
µg/L - micrograms per liter

USEPA Beryllium MCL - 4 µg/L

Note: Sample results below the detection limit are presented as half the detection limit (0.5 µg/L)

**Figure 9: Lead Concentrations in Groundwater at Residential Well GW0002**




**Legend**

GW0002 - residential well  
 $\mu\text{g}/\text{L}$  - micrograms per liter

USEPA Lead MCL -  $15 \mu\text{g}/\text{L}$

Note: Sample results below the detection limit are presented as half the detection limit ( $0.5 \mu\text{g}/\text{L}$ )

**Figure 10: Uranium Concentrations in Groundwater at Residential Well GW0002**



**Legend**

GW0002 - residential well  
 $\mu\text{g/L}$  - micrograms per liter

USEPA Uranium MCL -  $30 \mu\text{g/L}$

Note 1: Sample results below the detection limit are presented as half the detection limit (0.5  $\mu\text{g/L}$ )

Note 2: Total Uranium was not analyzed in 2007.

# **TABLES**

Luckey FUSRAP Site

Fall 2025 Sampling Results

**Table 1: Groundwater Elevations (September 2025)**

Well	Geologic Zone	Depth to Water (ft btoc)	Measuring Point Elevation (ft amsl)	Groundwater Elevation (ft amsl)
<b>Shallow Monitoring Wells</b>				
MW-02(S)	SH	9.00	650.27	641.27
MW-51(S)	SH	8.71	650.09	641.38
MW-54(S)	SH	8.92	650.27	641.35
<b>Intermediate Monitoring Wells</b>				
MW-01(I)	IN	9.14	650.52	641.38
MW-18(I)	IN	6.31	647.54	641.23
MW-21(I)	IN	10.12	651.45	641.33
MW-22R(I)	IN	8.68	649.98	641.30
MW-25(I)	IN	8.01	649.31	641.30
OMW-27(I)	IN	8.65	649.97	641.32
OMW-31(I)	IN	7.27	648.68	641.41
MW-50(I)	IN	11.46	652.92	641.46
MW-52(I)	IN	8.79	650.21	641.42
MW-53(I)	IN	8.24	649.69	641.45
MW-55(I)	IN	7.76	650.19	642.43
<b>Deep Monitoring Wells</b>				
OMW-32(B)	BR	7.36	648.74	641.38
PW(E)	BR	NA	NA	NA
PW(W)	BR	NA	NA	NA
<b>Hybrid Monitoring Wells</b>				
MW-52A(I)	HY	8.42	649.31	640.89

Notes:

amsl      Above mean sea level  
 NM      Not measured  
 NA      Not available  
 ft      Foot (Feet)  
 btoc      Below top of casing

Geologic Zones:

SH	Shallow water bearing zone (overburden)
IN	Intermediate water bearing zone (shallow bedrock)
BR	Deep water bearing zone (deep bedrock)
HY	Multiple zones (hybrid well)

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
GW0002	2002	0.0 U	2.0 U	0.18
	2004	0.158 U	1.72 U	0.371
	2005	0.13 U	0.8 J	0.044 U
	2006	0.088 U	0.6 J	0.85 J
	2007	0.51 U	2.4 U	
	2008	1.0 U	2.5 U	0.35 U
	2009	0.17 J	0.96	0.088 U
	2010	0.056 U	0.58	1 U
	2011	0.1 U	1.2	0.146 J
	2012	0.25 U	0.38 J	0.191 J
	2013	0.36 J	0.48 J	0.202
	2014	0.5 U	1.0	0.306
	2017	0.1 U	0.36	0.18
	2018 (April)	0.1 U	0.238 J	0.126 J
	2018 (October)	0.0412 UJ	2.19 J	0.303 J
	2019 (April)	0.05 U	1.11	0.238 J
	2019 (September)	0.179 J	0.2 U	0.34 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	5.39	1.25 U
	2021 (March)	0.4 U	1.0 U	0.155 J
	2021 (September)	0.4 U	1.0 J	0.159 J
	2022 (March)	0.2 U	1.0 U	0.2 J
	2022 (September)	0.2 U	1.0 U	0.15 J
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 J	1.0 U
	2024 (September)	1.0 U	1.0 J	1.0 U
	2025 (March)	1.0 U	0.59 J	1.0 U
	2025 (September)	1.0 U	0.556 J	1.0 U
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
GW0002 (Filtered)	2002	0.0 U	2.0 U	
	2004	0.158 U	1.72 U	
	2005	0.13 U	1.0 J	
	2006	0.088 U	0.49 U	
	2007	0.51 U	2.4 U	
	2008	1.0 U	3.8 B	
	2009	0.076 J	0.14 J	
	2010	0.056 U	0.094 J	
	2011	0.1 U	0.12 J	0.153 J
	2012	0.25 U	0.24 U	0.205 J
	2013	0.25 U	0.24 U	0.215
	2014	0.5 U	0.59 J	0.292
	2017	0.1 U	0.16	0.19
	2018 (April)	0.1 U	0.1 U	0.133 J
	2018 (October)	0.0412 UJ	0.641 J	0.292 J
	2019 (April)	0.05 U	0.280 J	0.237 J
	2019 (September)	0.128 J	0.2 U	0.294 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.144 J
	2021 (September)	0.4 U	1.0 U	0.158 J
	2022 (March)	0.2 U	1.0 U	0.2 J
	2022 (September)	0.2 U	1.0 U	0.16 J
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-01(l)	2002	<b>34</b>	2.0 U	3.19
	2004	<b>31.1</b>	1.72 U	3.16
	2005	<b>41.2</b>	2.8 U	3.32
	2006	<b>31.8</b>	0.49 U	2.85
	2007	<b>32.5</b>	4.8 U	
	2008	<b>31.1</b>	2.5 U	2.63
	2009	<b>39</b>	0.57	2.39
	2010	<b>25</b>	0.74	2.91
	2011	<b>28</b>	0.45	2.99
	2013	<b>35</b>	2.3	2.90
	2014	<b>24</b>	1.5	3.08
	2017	<b>31.6</b>	0.82	3.08
	2018 (April)	<b>30.3</b>	0.52 J	2.96
	2018 (September)	<b>25.7 J</b>	0.328 UJ	5.77 J
	2019 (March)	<b>26.4 J</b>	0.328 J	5.09
	2019 (September)	<b>30.6 J</b>	0.2 U	4.6 J
	2020 (March)	<b>28.9</b>	0.5 U	2.95
	2020 (September)	<b>30.2</b>	0.5 U	3
	2021 (March)	<b>27</b>	1.0 U	2.97
	2021(September)	<b>32.5</b>	1.0 U	2.87
	2022 (March)	<b>28</b>	1.0 U	3.32
	2022 (September)	<b>34.5</b>	1.0 U	2.92
	2023 (March)	<b>28</b>	1.0 U	2.81
	2023 (September)	<b>26 J</b>	1.0 U	2.87
	2024 (May)	<b>34</b>	1.0 U	3.23
	2024 (September)	<b>31.8</b>	1.0 U	3.00
	2025 (March)	<b>36.0</b>	1.0 U	2.98
	2025 (September)	<b>33.7</b>	1.0 U	2.95
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-01(I) (Filtered)	2002	<b>11</b>	3.0	
	2004	<b>32.7</b>	1.72 U	
	2005	<b>33.8</b>	0.57 U	
	2006	<b>33.2</b>	0.62 J	
	2007	<b>30.9</b>	4.8 U	
	2008	<b>31.5</b>	2.5 U	
	2009	<b>34</b>	0.46	
	2010	<b>20</b>	0.35 J	
	2011	<b>28</b>	0.36 J	2.88
	2013	<b>29</b>	0.41 J	2.87
	2014	<b>24</b>	0.46 J	3.09
	2017	<b>31</b>	0.39	3.1
	2018 (April)	<b>28.7</b>	0.18 J	2.92
	2018 (September)	<b>28.4 J</b>	0.328 UJ	5.73 J
	2019 (March)	<b>27.3 J</b>	0.307 J	5.21
	2019 (September)	<b>30.5 J</b>	0.2 U	4.39 J
	2020 (March)	<b>30.2</b>	0.5 U	3.01
	2020 (September)	<b>30.3</b>	0.5 U	3.08
	2021 (March)	<b>26.2</b>	1.0 U	2.94
	2021(September)	<b>32</b>	1.0 U	2.8
	2022 (March)	<b>27.4</b>	1.0 U	3.34
	2022 (September)	<b>33.99</b>	1.0 U	2.91
	2023 (March)	<b>27</b>	1.0 U	2.74
	2023 (September)	<b>27 J</b>	1.0 U	2.82
	2024 (May)	<b>33</b>	1.0 U	3.2
	2024 (September)	<b>31.6</b>	1.0 U	2.96
	2025 (March)	<b>33.4</b>	1.0 U	3.26 J+
	2025 (September)	<b>33.2</b>	1.0 U	2.94
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-02(S)	2002	<b>60</b>	6.0	6.97
	2004	<b>77.8</b>	1.7 J	6.24
	2005	<b>44.2</b>	1.5 J	5.23
	2006	<b>14.8</b>	1.8	4.13
	2007	<b>14.2</b>	4.8 U	
	2008	<b>13.2</b>	2.5 U	3.93
	2009	<b>14</b>	1.3	3.64
	2010	<b>11</b>	1.3	4.17
	2011	<b>13</b>	1.1	4.36
	2013	<b>15</b>	1.1	4.07
	2014	<b>13</b>	0.75 J	4.43
	2017	<b>13.7</b>	0.77	4.71
	2018 (April)	<b>13.5</b>	0.81 J	4.62
	2018 (September)	<b>10.7 J</b>	0.612 J	9.35 J
	2019 (March)	<b>12.7</b>	0.810 J	5.56
	2019 (September)	<b>14.9 J</b>	0.221 J	9.29 J
	2020 (March)	<b>13.3</b>	0.5 U	5.88
	2020 (September)	<b>16.1</b>	0.5 J	5.36
	2021 (March)	<b>12.4</b>	1.0 U	5.3
	2021 (September)	<b>18.6</b>	1.0 J	5.75
	2022 (March)	<b>16.9</b>	1.0 U	5.75
	2022 (September)	<b>17.88</b>	1.0 U	5.22
	2023 (March)	<b>12.00</b>	1.0 U	4.78
	2023 (September)	<b>13 J</b>	1.0 U	5.24
	2024 (May)	<b>15</b>	1.0 J	5.84
	2024 (September)	<b>9.4</b>	1.0 J	5.19
	2025 (March)	<b>13.4</b>	1.0 U	4.06
	2025 (September)	<b>14.8</b>	0.850 J	6.97
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

Luckey FUSRAP Site  
Fall 2025 Sampling Results

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-02(S) (Filtered)	2002	<b>62</b>	2.0 U	
	2004	<b>79.6</b>	1.72 U	
	2005	<b>43</b>	2.3 J	
	2006	<b>13.7</b>	1.4	
	2007	<b>13.2</b>	4.8 U	
	2008	<b>12.4</b>	2.5 U	
	2009	<b>22</b>	1.3	
	2010	<b>3.1</b>	0.72	
	2011	<b>14</b>	0.87	4.20
	2013	<b>13</b>	0.72 J	3.90
	2014	<b>13</b>	0.58 J	4.22
	2017	<b>13.4</b>	0.73	4.58
	2018 (April)	<b>13.2</b>	0.474 J	4.50
	2018 (September)	<b>11.9 J</b>	0.677 J	9.29 J
	2019 (March)	<b>11.9</b>	0.696 J	5.44
	2019 (September)	<b>12.8 J</b>	0.2 U	8.98 J
	2020 (March)	<b>13.5</b>	0.5 U	5.74
	2020 (September)	<b>16</b>	0.5 U	5.18
	2021 (March)	<b>11.3</b>	1.0 U	5.44
	2021 (September)	<b>17.8</b>	1.0 U	5.69
	2022 (March)	<b>16.0</b>	1.0 U	5.77
	2022 (September)	<b>17.83</b>	1.0 U	5.15
	2023 (March)	<b>13.00</b>	1.0 U	4.77
	2023 (September)	<b>13 J</b>	1.0 U	5.25
	2024 (May)	<b>15</b>	1.0 J	5.86
	2024 (September)	<b>8.8</b>	1.0 J	5.28
	2025 (March)	<b>12.6</b>	1.0 U	3.94
	2025 (September)	<b>15.0</b>	0.844 J	7.58
Notes:				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
MW-18(I)	2017	0.1 U	1.01	1.34
	2018 (April)	0.1 U	0.704 J	2.42
	2018 (September)	0.0412 UJ	0.647 J	4.61 UJ
	2019 (April)	0.05 J	1.64	6.45
	2019 (September)	0.05 U	0.789 J	6.85 J
	2020 (March)	0.5 U	0.5 U	4.20
	2020 (September)	0.5 U	0.8 U	4.57
	2021 (March)	0.4 U	0.798 J	3.27
	2021 (September)	0.4 U	1.0 U	3.44
	2022 (March)	0.2 U	6.53	5.33
	2022 (September)	0.2 U	1.0 U	1.02
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.49 J
	2024 (May)	1.0 U	1.0 J	5.19
	2024 (September)	1.0 U	2.0 J	1.30 J
	2025 (March)	1.0 U	1.97 J	12.5
	2025 (September)	1.0 U	0.914 J	4.05
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-18(l) (Filtered)	2017	0.1 U	0.89	1.38
	2018 (April)	0.1 U	2.23	2.38
	2018 (September)	0.0412 UJ	0.548 J	4.23 J
	2019 (April)	0.05 J	1.19	6.71
	2019 (September)	0.05 U	0.466 J	6.61 J
	2020 (March)	0.5 U	0.5 U	5.53
	2020 (September)	0.5 U	0.696 U	4.59
	2021 (March)	0.4 U	0.81 J	3.05
	2021(September)	0.4U	1.0 U	3.36
	2022 (March)	0.2 U	1.0 U	4.63
	2022 (September)	0.2 U	1.0 U	1.09
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.55 J
	2024 (May)	1.0 U	1.0 U	5.26
	2024 (September)	1.0 U	1.0 U	1.36 J
	2025 (March)	1.0 UJ	1.21 J	12.7
	2025 (September)	1.0 U	1.0 U	4.31
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-21(I)	2002	0.0 U	34	27.60
	2004	0.158 U	32.5	13.57
	2005	0.63 U	25.5	14.90
	2006	0.088 U	32.7	35.0
	2007	1.0 U	27.1	
	2008	1.0 U	39.6	37.7
	2009	0.056 U	84	
	2009			34.1
	2010	2.6	62	44.4
	2011	0.5 U	38	37.7
	2013	0.25 U	66	34.7
	2014	1.0 U	24	43.2
	2017	0.1 U	32.7	37.2
	2018 (April)	0.1 U	23.5	38.2
	2018 (September)	0.049 J	20.7 J	42.7 J
	2019 (March)	0.185 J	34.9	33.9
	2019 (September)	0.05 U	26.2	45.4 J
	2020 (March)	0.5 U	33.5	26.1
	2020 (September)	0.5 U	19.9	22.8
	2021 (March)	0.4 U	25.7 J	15.2
	2021 (September)	0.4 U	17.2	17.1
	2022 (March)	0.2 U	16.8	18.9
	2022 (September)	0.20 U	10.32	16.26
	2023 (March)	1.0 U	7.0	14.48
	2023 (September)	1.0 U	5.23	14.76
	2024 (May)	1.0 U	12.5	15.41
	2024 (September)	1.0 U	13.0	15.40
	2025 (March)	1.0 U	14.4	14.90
	2025 (September)	1.0 U	3.35	11.9 J
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-21(I) (Filtered)	2002	0.0 U	<b>29</b>	
	2004	0.158 U	<b>37.5</b>	
	2005	0.63 U	<b>25.7</b>	
	2006	0.088 U	<b>31.7</b>	
	2007	1.0 U	<b>25.7</b>	
	2008	1.0 U	<b>32.9</b>	
	2009	0.028 U	<b>58</b>	
	2010	0.28 U	<b>53</b>	
	2011	0.5 U	<b>36</b>	<b>37.2</b>
	2013	0.25 U	<b>54</b>	<b>41</b>
	2014	0.5 U	<b>23</b>	<b>45</b>
	2017	0.1 U	<b>31.3</b>	<b>37.8</b>
	2018 (April)	0.1 U	<b>22.9</b>	<b>38</b>
	2018 (September)	0.067 J	<b>18.1 J</b>	<b>44.5 J</b>
	2019 (March)	0.061 J	<b>31.3</b>	<b>34.5</b>
	2019 (September)	0.05 U	<b>25.5</b>	<b>44.2 J</b>
	2020 (March)	0.5 U	<b>27.6</b>	26.8
	2020 (September)	0.5 U	<b>18.6</b>	23.5
	2021 (March)	0.4 U	14.6	17.3
	2021 (September)	0.4 U	<b>17.5</b>	16.8
	2022 (March)	0.2 U	<b>15.2</b>	18.6
	2022 (September)	0.2 U	9.77	16.47
	2023 (March)	1.0 U	7.0	15.35
	2023 (September)	1.0 U	8.5	14.22
	2024 (May)	1.0 U	11.5	15.43
	2024 (September)	1.0 U	12.4	15.24
	2025 (March)	1.0 U	14.2	14.3
	2025 (September)	1.0 U	3.29	14.2
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-22R(I)	2013	<b>75</b>	2.2	5.07
	2014	<b>52</b>	2.4	6.85
	2017	<b>13.7</b>	4.85	10.2
	2018 (April)	<b>66.7</b>	1.5	5.08
	2018 (September)	<b>76.8 J</b>	1.43 J	9.16 J
	2019 (March)	<b>61.8</b>	1.3	5.33
	2019 (September)	<b>57.6 J</b>	1.99 J	11.1 J
	2020 (March)	<b>67.8</b>	1.17	4.81
	2020 (September)	<b>66.6</b>	2.42	5.10
	2021 (March)	<b>63.9</b>	2.59	4.65
	2021 (September)	<b>76.9</b>	1.54 J	4.55
	2022 (March)	<b>59.3</b>	2.04	5.66
	2022 (September)	<b>71.93</b>	2.07	5.28
	2023 (March)	<b>60</b>	1.5 J	6.49
	2023 (September)	<b>53.3 J</b>	1.88 J	6.18
	2024 (May)	<b>58.5</b>	3	6.11
	2024 (September)	<b>46.8</b>	1.0 J	5.58
	2025 (March)	<b>65.2</b>	1.94 J	4.93
	2025 (September)	<b>47.8</b>	13.4	9.35
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-22R(I) (Filtered)	2013	<b>71</b>	1.7	5.02
	2014	<b>51</b>	2.4	6.76
	2017	<b>42.6</b>	4.66	10.5
	2018 (April)	<b>64.2</b>	1.44	5.05
	2018 (September)	<b>69.6 J</b>	1.38 J	9.32 J
	2019 (March)	<b>61.3</b>	1.22	5.58
	2019 (September)	<b>60 J</b>	2.33	12.3 J
	2020 (March)	<b>67.1</b>	1.11	4.90
	2020 (September)	<b>60.6</b>	1.38	5.56
	2021 (March)	<b>62.3</b>	1.16 J	4.58
	2021(September)	<b>77.9</b>	1.39 J	4.71
	2022 (March)	<b>57.5</b>	1.32 J	5.79
	2022 (September)	<b>70.17</b>	1.48 J	5.70
	2023 (March)	<b>64.50</b>	1.0 J	6.90
	2023 (September)	<b>51.4 J</b>	1.0 J	6.91
<u>Notes:</u>	U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
	UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
	R	Result was rejected because of quality issues		
	J	Result is estimated		
<b>bold entries highlighted orange</b>	J+	Result is an estimated value with positive bias.		
	B	Constituent also detected in laboratory blank		
	blank cells	Not analyzed		
	µg/L	micrograms per liter		
1 Anomalous result; should not be used in data trending.				
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-25(I)	2008	1.0 U	2.5 U	1.28
	2009	0.2 J	0.59	
	2009			0.700 U
	2010	0.056 J	0.42	3.30
	2011	0.1 U	0.53	2.68
	2013	1.2	0.47 J	2.32
	2014	0.5 U	0.5 U	1.15
	2017	0.1 U	0.17 J	0.65
	2018 (April)	0.1 U	0.1 U	0.725
	2018 (September)	0.083 J	0.328 UJ	1.35 J
	2019 (March)	0.278 J	0.257 J	1.17
	2019 (September)	0.05 U	0.2 U	0.967 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.606
	2021(September)	0.4 U	1.0 U	0.595
	2022 (March)	0.21 J	1.0 U	0.67
	2022 (September)	0.20 U	1.0 U	0.53
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 UJ	1.0 U	1.0 U
2024 (May)	1.0 U	1.0 U	1.0 U	
2024 (September)	1.0 U	1.0 U	1.0 U	
2025 (March)	1.0 U	1.0 U	1.0 U	
2025 (September)	1.0 U	1.0 U	1.0 U	
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
MW-25(I) (Filtered)	2008	1.0 U	5.9 B	
	2009	0.21	0.11 J	
	2010	0.056 U	0.072 J	
	2011	0.1 U	0.32 J	2.64
	2013	1.4	0.24 U	2.29
	2014	0.5 U	0.5 U	1.23
	2017	0.1 U	0.11 J	0.67
	2018 (April)	0.1 U	0.1 U	0.691
	2018 (September)	0.0412 UJ	0.328 UJ	1.28 J
	2019 (March)	0.071 J	0.2 U	1.14
	2019 (September)	0.113 J	0.2 U	1.12 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.59
	2021(September)	0.4 U	1.0 U	0.594
	2022 (March)	0.2 U	1.0 U	0.63
	2022 (September)	0.20 U	1.0 U	0.53
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 UJ	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	12.9 <sup>(1)</sup>	1.0 J	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
<b>MW-50(I)</b>	2010	0.082 J	0.72	2.17
	2011	0.1 U	1.6	1.16
	2013	0.25 U	0.25 J	1.17
	2014	0.5 U	0.45 J	0.929
	2017	0.1 U	0.63	1.31
	2018 (April)	0.1 U	0.338 J	1.22
	2018 (September)	0.060 UJ	0.328 UJ	2.55 J
	2019 (April)	0.05 U	0.996 J	2.85
	2019 (September)	0.05 U	0.378 J	1.89 J
	2020 (March)	0.5 U	0.549 J	2.57
	2020 (September)	0.5 U	0.752 J	1.41 J
	2021 (March)	0.4 U	0.959 J	1.7
	2021 (September)	0.4 U	1.57 J	3.19
	2022 (March)	0.2 U	1.0 U	1.56
	2022 (September)	0.2 U	1.0 U	1.17
	2023 (March)	1.0 U	1.0 U	1.75 J
	2023 (September)	1.0 U	1.0 J	1.48 J
	2024 (May)	1.0 U	1.0	1.34 J
	2024 (September)	1.0 U	1.0 U	1.03 J
	2025 (March)	1.0 U	1.18 J	2.18
	2025 (September)	1.0 U	1.0 U	1.59 J
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-50(I) (Filtered)	2010	0.06 J	0.15 J	
	2011	0.1 U	0.62	1.16
	2013	0.25 U	0.24 U	1.06
	2014	0.5 U	0.32 J	1.19
	2017	0.1 U	0.62	1.47
	2018 (April)	0.1 U	0.410 J	1.28
	2018 (September)	0.0412 UJ	0.368 J	2.67 J
	2019 (April)	0.05 U	1.14	2.94
	2019 (September)	0.05 U	0.2 U	1.48 J
	2020 (March)	0.5 U	0.5 U	2.54
	2020 (September)	0.5 U	0.69 J	1.52 J
	2021 (March)	0.4 U	0.882 J	1.79
	2021 (September)	0.4 U	1.0 J	3.03
	2022 (March)	0.2 U	1.0 U	1.68
	2022 (September)	0.2 U	1.0 U	1.23
	2023 (March)	1.0 U	1.0 U	1.83 J
	2023 (September)	1.0 U	1.0 J	1.85 J
	2024 (May)	1.0 U	1.0 J	1.80 J
	2024 (September)	1.0 U	1.0 U	1.3 J
	2025 (March)	1.0 U	0.899 J	2.12
	2025 (September)	1.0 U	1.0 U	1.76 J
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
MW-51(S)	2010	0.35 U	1.4 J	
	2011	0.1 U	0.13 J	4.73
	2012	0.25 U	0.24 U	9.36
	2013	0.25 U	0.24 U	9.32
	2014	0.5 U	0.5 U	5.3
	2017	0.1 U	0.13	6.5
	2018 (April)	0.1 U	0.1 U	8.04
	2018 (September)	0.0412 UJ	0.328 UJ	17.6 J
	2019 (March)	0.05 U	0.2 U	9.35
	2019 (September)	0.05 U	0.2 U	9.26 J
	2020 (March)	0.5 U	0.5 U	9.39
	2020 (September)	0.5 U	0.5 U	5.87
	2021 (March)	0.4 U	1.0 U	7.12
	2021(September)	0.4 U	1.0 U	8.91
	2022 (March)	0.2 U	1.0 U	7.67
	2022 (September)	0.2 U	1.0 U	8.55
	2023 (March)	1.0 U	1.0 U	6.89
	2023 (September)	1.0 U	1.0 U	7.5
	2024 (May)	1.0 U	1.0 U	8.31
	2024 (September)	1.0 U	1.0 U	7.47
	2025 (March)	1.0 U	1.0 U	7.43
	2025 (September)	1.0 U	1.0 U	6.77
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-51(S) (Filtered)	2010	0.35 U	0.17 U	
	2011	0.1 U	0.15 J	0.94
	2012	0.25 U	0.24 U	7.53
	2013	0.25 U	0.24 U	8.37
	2014	0.5 U	0.5 U	2.05
	2017	0.1 U	0.1	6.8
	2018 (April)	0.1 U	0.1 U	8.4
	2018 (September)	0.0412 UJ	0.328 UJ	15.3 J
	2019 (March)	0.05 U	0.2 U	7.58
	2019 (September)	0.05 U	0.2 U	10.4 J
	2020 (March)	0.5 U	0.5 U	8.47
	2020 (September)	0.5 U	0.5 U	3.28
	2021 (March)	0.4 U	1.0 U	6.91
	2021 (September)	0.4 U	1.0 U	8.49
	2022 (March)	0.2 U	1.0 U	8.54
	2022 (September)	0.2 U	1.0 U	8.01
	2023 (March)	1.0 U	1.0 U	7.05
	2023 (September)	1.0 U	1.0 J	1.45 J
	2024 (May)	1.0 U	1.0 U	6.57
	2024 (September)	1.0 U	1.0 U	6.77
	2025 (March)	1.0 U	1.0 U	7.50
	2025 (September)	1.0 U	1.0 U	6.97
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-52(I)	2010	0.35 U	6.8	
	2011	0.37 J	0.74	2.76
	2012	0.25 U	0.5 J	2.76
	2013	0.25 U	0.76 J	2.6
	2014	0.5 U	0.94 J	2.71
	2017	0.1 U	0.85	2.76
	2018 (April)	0.1 U	0.786 J	2.45
	2018 (September)	0.0412 UJ	0.87 J	4.95 J
	2019 (March)	0.05 U	0.999 J	4.27
	2019 (September)	0.104 J	0.71 J	4.42 J
	2020 (March)	0.5 U	0.504 J	2.07 J
	2020 (September)	0.5 U	8.91	2.71
	2021 (March)	0.4 U	1.16 J	2.35
	2021(September)	0.4 U	1.33 J	2.51
	2022 (March)	0.2 U	1.0 U	2.53
	2022 (September)	0.2 U	1.15 J	2.33
	2023 (March)	1.0 U	2.0 J	2.48
	2023 (September)	1.0 U	1.0 J	2.35
	2024 (May)	1.0 U	2	2.61
	2024 (September)	1.0 U	1.0 J	2.64
	2025 (March)	1.0 U	1.07 J	2.44
	2025 (September)	1.0 U	1.0 U	2.32
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
MW-52(I) (Filtered)	2010	0.35 U	7.3	
	2011	0.1 U	0.4	2.68
	2012	0.25 U	0.35 J	2.69
	2013	0.25 U	0.46 J	2.66
	2014	0.5 U	0.47 J	2.56
	2017	0.1 U	0.68	2.7
	2018 (April)	0.1 U	0.676 J	2.5
	2018 (September)	0.0412 UJ	0.683 J	4.90 J
	2019 (March)	0.05 U	0.535 J	4.3
	2019 (September)	0.083 J	0.547 J	4.29 J
	2020 (March)	0.5 U	0.721 J	2.02 J
	2020 (September)	0.5 U	0.654 J	2.62
	2021 (March)	0.4 U	1.0 U	2.32
	2021(September)	0.4 U	1.0 J	2.52
	2022 (March)	0.2 U	1.0 U	2.52
	2022 (September)	0.2 U	1.0 U	2.32
	2023 (March)	1.0 U	1.0 J	2.64
	2023 (September)	1.0 J	2.0	5.57
	2024 (May)	1.0 U	1.0 J	2.69
	2024 (September)	1.0 U	1.0 J	2.64
	2025 (March)	1.0 U	0.827 J	2.46
	2025 (September)	1.0 U	1.0 U	2.17
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		<b>4</b>	<b>15</b>	<b>30</b>
MW-52A(I)	2012	0.64 J	11	15.2
	2013	0.75 J	10	15.4
	2014	0.6 J	9.4	14.9
	2017	1.23	10.4	15.2
	2018 (April)	1.3	9.05	16.1
	2018 (September)	0.735 J	6.39 J	18.9 J
	2019 (March)	0.903 J	9.49	16.9
	2019 (September)	0.354 J	5.87	25.5
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.594	9.19
	2021 (March)	1.24	6.73	12.5
	2021(September)	0.86	5.49	10.5
	2022 (March)	0.88	5.32	10.8
	2022 (September)	0.84	5.07	9.49
	2023 (March)	1.0 U	4	8.89
	2023 (September)	1.0 J	2.0	5.56
	2024 (May)	1.0 J	1.0 J	3.82
	2024 (September)	1.0 U	2.0	4.13
	2025 (March)	1.82 J	8.29	10.0
	2025 (September)	0.503 J	3.75	8.44
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-52A(I) (Filtered)	2012	0.67 J	10	15.4
	2013	0.8 J	9.4	16.0
	2014	0.5 U	9.4	15.2
	2017	1.51	10.3	16.2
	2018 (April)	1.43	9.32	16.3
	2018 (September)	1.01 J	11 J	19.3 J
	2019 (March)	0.974 J	9.63	16.8
	2019 (September)	0.501 J	7.51	26.8
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	6.33	10
	2021 (March)	1.62	6.49	12.5
	2021 (September)	0.71	5.37	10.3
	2022 (March)	1.28	5.39	11.1
	2022 (September)	0.94	5.09	9.54
	2023 (March)	1.0 U	4	8.83
	2023 (September)	1.0 U	1.0 U	7.84
	2024 (May)	1.0 J	1.0 J	3.82
	2024 (September)	1.0 U	2.0	4.26
	2025 (March)	1.82 J	8.22	10.0
	2025 (September)	1.0 U	3.69	8.09
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-53(I)	2010	0.056 U	0.17 J	1.00 U
	2011	0.1 U	0.87	0.408
	2012	0.25 U	0.66 J	0.432
	2013	3.7	8.7	0.458
	2014	0.5 U	0.5 U	0.452
	2017	0.1 U	0.49	0.380
	2018 (April)	0.1 U	0.544 J	0.362
	2018 (September)	0.412 UJ	0.328 UJ	0.756 J
	2019 (March)	0.05 U	0.525 J	0.68 J
	2019 (September)	0.05 U	0.582 J	0.212 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.721 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.31
	2021(September)	0.4 U	1.0 U	0.34
	2022 (March)	0.2 U	1.0 U	0.38
	2022 (September)	0.2 U	1.0 U	0.37
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	0.530 UJ	0.521 J
	2025 (September)	1.0 U	0.844 J	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-53(I) (Filtered)	2010	0.056 U	0.07 J	
	2011	0.1 U	0.096 U	0.404
	2012	0.25 U	0.24 U	0.398
	2013	3.4	0.24 U	0.451
	2014	0.5 U	0.5 U	0.560
	2017	0.1 U	0.63	0.370
	2018 (April)	0.1 U	0.1 U	0.362
	2018 (September)	0.412 UJ	0.328 UJ	0.718 J
	2019 (March)	0.05 U	0.2 U	0.646 J
	2019 (September)	0.05 U	0.2 U	0.218 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	2.28	1.25 U
	2021 (March)	0.4 U	1.0 U	0.325
	2021 (September)	0.4 U	1.0 U	0.341
	2022 (March)	0.2 U	1.0 U	0.39
	2022 (September)	0.2 U	1.0 U	0.36
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 J	1.86 J
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	0.509 J
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
MW-54(S)	2010	0.11 J	0.21 J	4.98
	2011	0.1 U	0.096 U	7.0
	2012	0.25 U	0.24 U	4.39
	2013	0.25 U	0.77 J	5.21
	2014	0.5 U	0.54 J	5.67
	2017	0.1 U	0.1 U	5.72
	2018 (April)	0.1 U	0.1 U	4.73
	2018 (September)	0.412 UJ	0.328 UJ	8.88 J
	2019 (March)	0.05 U	0.2 U	5.32
	2019 (September)	0.05 U	0.2 U	9.42 J
	2020 (March)	0.5 U	0.5 U	2.00 J
	2020 (September)	0.5 U	0.5 U	5.77
	2021 (March)	0.4 U	1.0 U	4.8
	2021 (September)	0.4 U	1.0 U	5.62
	2022 (March)	0.2 U	1.0 U	6.25
	2022 (September)	0.2 U	1.0 U	6.2
	2023 (March)	1.0 U	1.0 U	6.15
	2023 (September)	1.0 UJ	1.0 U	6.81
	2024 (May)	1.0 U	1.0 U	8.26
	2024 (September)	1.0 U	1.0 U	5.52
	2025 (March)	1.0 U	1.0 U	6.75
	2025 (September)	1.0 U	1.0 U	6.49
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
MW-54(S) (Filtered)	2010	0.056 U	0.072 J	
	2011	0.1 U	0.096 U	8.14
	2012	0.25 U	0.24 U	4.57
	2013	0.25 U	0.24 U	4.42
	2014	0.5 U	0.5 U	4.65
	2017	0.1 U	0.1 U	5.34
	2018 (April)	0.1 U	0.1 U	4.21
	2018 (September)	0.412 UJ	0.328 UJ	9.86 J
	2019 (March)	0.06 J	0.2 U	5.94
	2019 (September)	0.05 U	0.2 U	8.56 J
	2020 (March)	0.5 U	0.5 U	2.01 J
	2020 (September)	0.5 U	0.5 U	5.5
	2021 (March)	0.4 U	1.0 U	4.95
	2021 (September)	0.4 U	1.0 U	6.12
	2022 (March)	0.2 U	1.0 U	6.29
	2022 (September)	0.2 U	1.0 U	5.87
	2023 (March)	1.0 U	1.0 U	6.26
	2023 (September)	1.0 UJ	1.0 U	6.91
	2024 (May)	1.0 U	1.0 U	7.20
	2024 (September)	1.0 U	1.0 U	4.53
	2025 (March)	1.0 U	1.0 U	7.61
	2025 (September)	1.0 U	5.65	7.94
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
MW-55(I)	2010	0.056 U	0.06 J	1.00 U
	2011	0.1 U	0.096 U	0.684
	2012	0.25 U	0.24 U	0.437
	2013	0.25 U	1.0	0.442
	2014	0.5 U	0.5 U	0.486
	2017	0.1 U	0.1 U	0.43
	2018 (April)	0.1 U	0.1 U	0.415
	2018 (September)	0.412 UJ	0.328 UJ	0.820 J
	2019 (March)	0.092 J	0.226 J	0.844 J
	2019 (September)	0.05 U	0.2 U	0.28 J
	2020 (March)	0.5 U	0.5 U	2.27 J
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.368
	2021(September)	0.4 U	1.0 U	0.435
	2022 (March)	0.2 U	1.0 U	0.50
	2022 (September)	0.2 U	1.0 U	0.43
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 UJ	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<b>Notes:</b>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
MW-55(I) (Filtered)	2010	0.056 U	0.064 J	
	2011	0.1 U	0.096 U	0.391
	2012	0.25 U	0.24 U	0.436
	2013	0.25 U	0.24 U	0.438
	2014	0.5 U	0.5 U	0.502
	2017	0.1 U	0.1 U	0.42
	2018 (April)	0.1 U	0.1 U	0.425
	2018 (September)	0.412 UJ	0.328 UJ	0.802 J
	2019 (March)	0.05 U	0.2 U	0.734 J
	2019 (September)	0.05 U	0.2 U	0.244 J
	2020 (March)	0.5 U	2.18	3.90
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.382
	2021(September)	0.4 U	1.0 U	0.433
	2022 (March)	0.2 U	1.0 U	0.50
	2022 (September)	0.2 U	1.0 U	0.43
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
OMW-27(I)	2008	1.0 U	2.5 U	1.89
	2009	0.056 U	0.73	1.41
	2010	0.056 U	1.20	2.09
	2011	0.1 U	1.20	1.88
	2012	0.25 U	0.32 J	2.02
	2013	0.25 U	0.9 J	2.03
	2014	0.62 J	0.94 J	2.14
	2017	0.1 U	1.18	1.91
	2018 (April)	0.1 U	0.378 J	1.89
	2018 (September)	0.0412 UJ	0.375 J	3.87 J
	2019 (March)	0.05 UJ	0.557 J	3.32
	2019 (September)	0.05 U	0.2 U	2.96
	2020 (March)	0.5 U	0.5 U	5.3
	2020 (September)	0.5 U	0.5 U	2.18 J
	2021 (March)	0.4 U	1.0 U	1.87
	2021 (September)	0.4 U	1.0 U	2.08
	2022 (March)	0.2 U	1.0 U	2.02
	2022 (September)	0.2 U	1.0 U	1.83
	2023 (March)	1.0 U	1.0 U	1.84 J
	2023 (September)	1.0 U	1.0 J	2.37
	2024 (May)	1.0 U	1.0 J	1.96 J
	2024 (September)	1.0 U	1.0 J	1.95 J
	2025 (March)	1.0 U	0.554 J	1.82 J
	2025 (September)	1.0 U	1.0 U	1.71 J
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
<b>USEPA MCL</b>		4	15	30
OMW-27(I) (Filtered)	2008	1.0 U	2.5 U	
	2009	0.028 U	0.54	
	2010	0.056 U	0.55	
	2011	0.1 U	0.49	1.73
	2012	0.25 U	0.24 U	1.98
	2013	0.25 U	1.10	2.06
	2014	0.5 U	0.5 J	2.07
	2017	0.1 U	2.27	1.99
	2018 (April)	0.1 U	0.375 J	1.85
	2018 (September)	0.0412 UJ	0.484 J	3.97 J
	2019 (March)	0.05 UJ	0.611 J	3.29
	2019 (September)	0.05 U	0.2 U	3.17
	2020 (March)	0.5 U	0.5 U	4.97
	2020 (September)	0.5 U	0.5 U	2.13 J
	2021 (March)	0.4 U	1.0 U	1.8
	2021 (September)	0.4 U	1.0 U	2.11
	2022 (March)	0.2 U	1.0 U	2.07
	2022 (September)	0.2 U	1.0 U	1.85
	2023 (March)	1.0 U	1.0 U	1.80 J
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 J	1.98 J
	2024 (September)	1.0 U	1.0 J	1.91 J
	2025 (March)	1.0 U	0.570 J	1.78 J
	2025 (September)	1.0 U	0.534 J	1.93 J
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
OMW-31(I)	2002	0.0 U	2.0 U	0.67
	2004	0.158 U	1.72 U	0.982
	2005	0.13 U	0.57 U	1.42
	2006	0.088 U	0.49 U	1.81 U
	2007	1.0 U	4.8 U	
	2008	1.0 U	2.5 U	0.525 U
	2009	0.056 U	0.27 J	0.469 U
	2010	0.056 U	0.66	1.00 U
	2011	0.1 U	1.2	1.25
	2012	0.25 U	0.3 J	0.423
	2013	0.25 U	0.24 U	0.335
	2014	1.8	1.9	0.159 J
	2017	0.1 U	0.13	0.61
	2018 (April)	0.1 U	0.1 U	0.493
	2018 (September)	0.0412 UJ	0.328 UJ	0.8 J
	2019 (March)	0.05 UJ	0.2 U	0.796 J
	2019 (September)	0.05 U	0.2 U	0.2 U
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.172 J
	2021 (September)	0.4 U	1.0 U	0.205
	2022 (March)	0.2 U	1.0 U	0.44
	2022 (September)	0.2 U	1.0 U	0.45
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	0.616 J
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
OMW-31(I) (Filtered)	2002	0.0 U	2.0 U	
	2004	0.158 U	1.72 U	
	2005	0.13 U	0.57 U	
	2006	0.088 U	0.49 U	
	2007	1.0 U	4.8 U	
	2008	1.0 U	2.5 U	
	2009	0.035 J	0.35	
	2010	0.056 U	0.22 J	
	2011	0.1 U	0.25 J	0.59
	2012	0.25 U	0.24 U	0.517
	2013	0.25 U	0.24 U	0.392
	2014	0.5 U	0.32 J	0.453
	2017	0.1 U	0.1 U	0.59
	2018 (April)	0.1 U	0.1 U	0.563
	2018 (September)	0.0412 UJ	0.328 UJ	0.892 J
	2019 (March)	0.05 UJ	0.2 U	0.924 J
	2019 (September)	0.05 U	0.2 U	0.2 U
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.231
	2021 (September)	0.4 U	1.0 U	0.211
	2022 (March)	0.2 U	1.0 U	0.48
	2022 (September)	0.2 U	1.0 U	0.46
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	0.664 J
	2025 (September)	1.0 U	1.0 U	1.0 U
Notes:				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
OMW-32(B)	2008	1.0 U	2.5 U	0.258 U
	2009	0.056 U	0.13 J	0.016 U
	2010	0.056 U	0.18 J	1.00 U
	2011	0.36 J	0.57	0.178 J
	2012	0.25 U	0.48 J	0.145 J
	2013	0.25 U	0.29 J	0.089 J
	2014	0.5 U	0.64 J	0.113 J
	2017	0.1 U	0.5	0.04
	2018 (April)	0.1 U	0.1 U	0.047 J
	2018 (September)	0.412 UJ	0.328 UJ	0.086 J
	2019 (March)	0.05 UJ	0.2 U	0.2 U
	2019 (September)	0.05 U	0.2 U	0.2 U
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.134 U
	2021 (September)	0.4 U	1.01 J	1.04
	2022 (March)	0.2 U	1.0 U	0.10 J
	2022 (September)	0.2 U	1.0 U	0.10 U
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<b>Notes:</b>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
OMW-32(B) (Filtered)	2008	1.0 U	2.5 U	
	2009	0.028 U	0.28	
	2010	0.056 U	0.18 J	
	2011	0.1 U	0.18 J	0.085 J
	2012	0.25 U	0.24 U	0.146 J
	2013	0.25 U	0.25 J	0.086 J
	2014	0.5 U	0.5 U	0.179 J
	2017	0.1 U	0.65	0.04
	2018 (April)	0.1 U	0.1 U	0.044 J
	2018 (September)	0.412 UJ	0.328 UJ	0.107 J
	2019 (March)	0.05 UJ	0.2 U	0.2 U
	2019 (September)	0.05 U	0.2 U	0.2 U
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.5 U	1.25 U
	2021 (March)	0.4 U	1.0 U	0.134 U
	2021 (September)	0.4 U	3.48	1.03
	2022 (March)	0.2 U	1.0 U	0.16 J
	2022 (September)	0.2 U	1.0 U	0.10 U
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
USEPA MCL		4	15	30
PW(E)	2002	0.0 U	2.0 U	0.52
	2004	0.158 U	1.72 U	0.502
	2008	1.0 U	<b>26.2</b>	0.249 U
	2009	0.17 J	<b>26</b>	0.103 U
	2010	0.098 J	<b>16</b>	1.00 U
	2011	0.1 U	0.54	0.157 J
	2013	0.25 U	6.9	0.273
	2014	0.5 U	10	0.268
	2017	0.1 U	2.82	0.14
	2018 (April)	0.1 U	1.65	0.031 U
	2018 (September)	0.412 UJ	0.328 UJ	0.0521 UJ
	2019 (April)	0.05 U	0.212 J	0.329 J
	2019 (September)	0.086 J	3.52 J	0.784 J
	2020 (March)	0.5 U	0.92 J	1.25 U
	2020 (September)	0.5 U	7.33	1.25 U
	2021 (March)	0.4 U	1.43 J	0.702
	2021 (September)	0.4 U	1.31 J	0.271
	2022 (March)	0.2 U	1.0 U	0.22
	2022 (September)	0.2 U	1.0 U	0.37
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U	The analyte was analyzed for but not detected. The associated value is the compound limit of detection.			
UJ	The analyte was analyzed for but not detected. The associated limit of detection is an estimate.			
R	Result was rejected because of quality issues			
J	Result is estimated			
J+	Result is an estimated value with positive bias.			
B	Constituent also detected in laboratory blank			
blank cells	Not analyzed			
<b>bold entries highlighted orange</b>	Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water			
µg/L	micrograms per liter			
1	Anomalous result; should not be used in data trending.			
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium µg/L	Lead µg/L	Total Uranium µg/L
Units				
<b>USEPA MCL</b>		4	15	30
PW(E) (Filtered)	2002	0.0 U	2.0 U	
	2004	0.158 U	3.2 J	
	2008	1.0 U	4.0 B	
	2009	0.028 J	0.56	
	2010	0.056 U	0.18 J	
	2011	0.1 U	0.12 J	0.332
	2013	0.25 U	0.24 U	0.266
	2014	0.5 U	0.5 U	0.28
	2017	0.1 U	0.24	0.14
	2018 (April)	0.1 U	0.1 U	0.032 J
	2018 (September)	0.412 UJ	0.328 UJ	0.0521 UJ
	2019 (April)	0.05 U	0.214 J	0.309 J
	2019 (September)	0.271 J	0.801 J	0.917 J
	2020 (March)	0.5 U	0.5 U	1.25 U
	2020 (September)	0.5 U	0.566 J	1.25 U
	2021 (March)	0.4 U	0.998 J	0.645
	2021(September)	0.4 U	1.0 U	0.267
	2022 (March)	0.2 U	1.0 U	0.21
	2022 (September)	0.2 U	1.0 U	0.37
	2023 (March)	1.0 U	1.0 U	1.0 U
	2023 (September)	1.0 U	1.0 U	1.0 U
	2024 (May)	1.0 U	1.0 U	1.0 U
	2024 (September)	1.0 U	1.0 U	1.0 U
	2025 (March)	1.0 U	1.0 U	1.0 U
	2025 (September)	1.0 U	1.0 U	1.0 U
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
PW(W)	2004	<b>4.1 J</b>	1.72 U	8.04
	2008	<b>11.3</b>	2.5 U	4.14
	2009	<b>13</b>	2.20	3.74
	2010	<b>7.5</b>	1.30	3.73
	2011	<b>6.8</b>	0.91	3.64
	2013	<b>7.5</b>	1.20	2.90
	2014	<b>4.6</b>	0.55 J	2.60
	2017	1.18	2.69	6.60
	2018 (April)	0.1 U	8.85	0.416
	2018 (September)	0.052 UJ	<b>22 J</b>	0.734 J
	2019 (April)	0.05 U	8.68	1.01
	2019 (September)	0.303 J	6.88 J	0.77 J
	2020 (March)	0.5 U	7.52	1.25 U
	2020 (September)	0.5 U	5.51	1.25 U
	2021 (March)	0.4 U	1.9 J	0.734
	2021 (September)	0.4 U	3.4	0.996
	2022 (March)	0.2 U	4.46	0.90
	2022 (September)	0.2 U	1.82 J	0.89
	2023 (March)	1.0 U	5	2.42
	2023 (September)	1.0 U	2.0	.83 J
	2024 (May)	1.0 U	5	1.56 J
	2024 (September)	1.0 U	2.8	0.85 J
	2025 (March)	1.0 U	4.7	0.694 J
	2025 (September)	1.0 U	1.48 J	0.616 J
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Luckey FUSRAP Site**  
**Fall 2025 Sampling Results**

**Table 2: Analytical Results**

Well	Year	Beryllium	Lead	Total Uranium
Units		µg/L	µg/L	µg/L
USEPA MCL		4	15	30
PW(W) (Filtered)	2004	<b>4.4 J</b>	6.50	
	2008	<b>11</b>	2.5 U	
	2009	<b>18</b>	1.60	
	2010	<b>8.7</b>	0.85	
	2011	<b>6.6</b>	0.71	3.58
	2013	<b>7.1</b>	0.42 J	2.89
	2014	<b>5.3</b>	0.38 J	3.01
	2017	0.74	0.60 J	6.50
	2018 (April)	0.1 U	1.04	0.449
	2018 (September)	0.412 UJ	2.10 J	0.683 J
	2019 (April)	0.05 U	1	1.02
	2019 (September)	0.216 J	0.736 J	0.723 J
	2020 (March)	0.5 U	0.567 J	1.25 U
	2020 (September)	0.5 U	1.06	1.25 U
	2021 (March)	0.4 U	1.0 U	0.726
	2021 (September)	0.4 U	1.0 J	1.02
	2022 (March)	0.2 U	1.51 J	0.94
	2022 (September)	0.2 U	1.0 U	0.88
	2023 (March)	1.0 U	2	2.39
	2023 (September)	1.0 U	1.0 J	.84 J
	2024 (May)	1.0 U	2	1.67 J
	2024 (September)	1.0 U	1.0 U	0.86 J
	2025 (March)	1.0 U	3.34	0.707 J
	2025 (September)	1.0 U	0.505 J	0.663 J
<u>Notes:</u>				
U		The analyte was analyzed for but not detected. The associated value is the compound limit of detection.		
UJ		The analyte was analyzed for but not detected. The associated limit of detection is an estimate.		
R		Result was rejected because of quality issues		
J		Result is estimated		
J+		Result is an estimated value with positive bias.		
B		Constituent also detected in laboratory blank		
blank cells		Not analyzed		
<b>bold entries highlighted orange</b>		Result exceeds USEPA Maximum Contaminant Level (MCL) for protection of drinking water		
µg/L		micrograms per liter		
1		Anomalous result; should not be used in data trending.		
Field duplicate sample results were averaged with parent sample results.				

**Table 3: Summary of Mann-Kendall Test Results for Large Sample Size**

Well	Constituent	Sample Size (n)	Test Statistic (z)	Critical Value ( $z_{1-\alpha}$ ) <sup>1</sup>	Conclusion	Notes
MW-01(I)	total beryllium	28	-0.34	-1.28	No trend	All results > MCL
MW-01(I)	filtered beryllium	28	0.38	-1.28	No trend	All results > MCL
MW-02(S)	total beryllium	28	-1.34	-1.28	Downward trend	All results > MCL
MW-02(S)	filtered beryllium	28	-1.33	-1.28	Downward trend	27 of 28 results > MCL; Zero results < detection limit
MW-21(I)	total lead	28	-4.43	-1.28	Downward trend	21 of 28 results > MCL; Zero results < detection limit
MW-21(I)	filtered lead	28	-4.76	-1.28	Downward trend	20 of 28 results > MCL; Zero results < detection limit
MW-21(I)	total uranium	27	-2.73	-1.28	Downward trend	12 of 27 results > MCL; Zero results < detection limit
MW-21(I)	filtered uranium	20	-4.77	-1.28	Downward trend	8 of 20 results > MCL; Zero results < detection limit
MW-22R(I)	total beryllium	19	-1.19	1.28	No trend	All results > MCL
MW-22R(I)	filtered beryllium	19	-1.61	1.28	No trend	All results > MCL
PW(E)	total lead	25	-3.13	-1.28	Downward trend	3 of 25 results > MCL; 11 of 25 results < detection limit
PW(E)	filtered lead	25	0.24	-1.28	No trend	All results < MCL; 15 of 25 results < detection limit

1 Critical values at 90% level of confidence

Note: The Mann-Kendall Test was not performed for beryllium, lead or uranium at GW0002, because the majority of sample results were below the detection limit and the few results above the detection limit were all below the MCL.